

ANNEXURE -III

SCHOOL SANITARY CERTIFICATE FOR 2023 - 24


(Under the Tamil Nadu Education Rules)

APPENDIX - 3

(Chapter III Rule - 24)

I hereby declare that I have inspected the school **GREEN MOUNT PUBLIC SCHOOL, SURVEY NUMBER : 1135/1A,1136/1A,1137/2A,& 11373A PANNAIPURAM , UTHAMAPALAYAM TALUK, THENI DISTRICT** building and premises on the Twentyth day of December - 2023 and Certify

- * That the accomodation provided for each of the several classes are sufficient for minimum number of the pupils taught therin and properly ventilated and lighted;
- * That the Building is maintained in substantial repair;
- * That is neat and clean;
- * That the Latrine arrangements are adequate and satisfactory;
- * That the supply of drinking water is wholesome; and
- * That in all other necessary respects the Sanitation is satisfactory.



Seal:

[Signature]
Technical Personal Assistant

O/o Deputy Director of Health Services,
Theni.

Countersigned

[Signature]
Deputy Director of Health Services,
Theni.

[Signature]
CORRESPONDENT
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road
Pannaipuram-625524,
Theni District-Tamilnadu

[Signature]
PRINCIPAL
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road,
Pannaipuram - 625524
Theni District, Tamilnadu.

பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத் துறை

அனுப்ப நர்:

மரு.பா. துமரகுருபரன்.எம்.பி.பி.எஸ். டி.பி.எச்.டி.ஐ.எச். எம்.பி.ஏ
துணை இயக்குநர் சுகாதாரப்பணிகள்(பொ)
தேனி மாவட்ட அரசு பஸ்துறை அலுவலக வளாகம்,
பிளாக் எண் - 1,
தேனி - 625 531.

பெறுநர்:

தாளாளர்,
கிரீன் மௌண்ட் பப்ளிக்பள்ளி
(CBSE)
பண்ணைப்புரம்,
உத்தமபாளையம் தாலுகா,
தேனி மாவட்டம். 625 524

ஒ.மு.எண்.6849/அ2/2023

நாள்: 26.12.2023

அய்யா / அம்மா,

பொருள் : பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத் துறை - சுகாதாரச் சான்றிதழ் விண்ணப்பத்திற்கு நிபந்தனைகளுக்கு உட்பட்டு ஒப்புதல் வழங்குதல் தொடர்பாக.

பார்வை : இவ்வலுவலக தொழில்நுட்ப நேர்முக உதவியாளரின் அறிக்கை பெறப்பட்ட நாள்.22.12.2023

கீழ்க்கண்ட நிபந்தனைகளுக்கு உட்பட்டு சுகாதாரச் சான்று வழங்கப்படுகிறது.

1. தீயணைப்புத் துறையின் சான்றிதழ் பெறப்பட வேண்டும் மற்றும் தீயணைப்பு சாதனங்கள் வைக்கப்பட வேண்டும்.
2. உணவு விடுதி 1939 ம் ஆண்டு பொது சுகாதாரச் சட்டத்திற்கு உட்பட்டு சுத்தமாகவும் சுகாதாரமாகவும் எப்பொழுதும் பராமரிக்கப்பட வேண்டும்.
3. எளிதில் தீப்பற்றக் கூடிய கூரைகள் எப்பொழுதும் உபயோகிக்கக் கூடாது.
4. கட்டிடம் வரைபடத்தில் உள்ளபடி இருக்க வேண்டும். கூடுதலாக ஏதும் கட்டிடம் கட்ட இருப்பின் பஞ்சாயத்து நிர்வாகத்தின் ஒப்புதல் மீண்டும் பெறப்பட வேண்டும்.
5. வகுப்பறையில் உள்ள மாணவ, மாணவிகள் இருக்கை வசதிகள் கல்வித்துறையின் விதிகளுக்கு உட்பட்டு இருத்தல் வேண்டும்.
6. விடுதி இருப்பின் அதற்கான தனிச் சான்றிதழ் பெறப்பட வேண்டும்.
7. பள்ளியின் சுற்றுச் சுவர் உறுதியாக இருக்க வேண்டும்.
8. பள்ளியின் குறுக்கே மின்வாரிய மின் அழுத்த கம்பி செல்லக் கூடாது.
9. பள்ளியில் விளையாட்டு மைதானம் அவசியம் இருக்க வேண்டும்.
10. பள்ளியில் முதலுதவிப் பெட்டி அவசியம் இருத்தல் வேண்டும்.
11. வகுப்பறைகள் தனித்தனியாக பிரிக்கப்பட வேண்டும்.
12. பாதுகாக்கப்பட்ட குடிநீர் வசதியுடன் மேல்நிலைத் தொட்டிகள் அமைக்கப்பட வேண்டும். மேல்நிலைத் தொட்டி 15 நாட்களுக்கு ஒருமுறை கழுவி, சுத்தம் செய்து பின் சப்ளை செய்தல் வேண்டும். நன்றாக மூடி இருக்க வேண்டும்.
13. கழிவறையை தினமும் சுத்தம் செய்தல் வேண்டும்.
14. பிளீச்சிங் பவுடர், பினாயில், லைசால், சுண்ணாம்பு நீர் முதலானவற்றை இருப்பும் பதிவேட்டில் பதிந்து விநியோகிப்பதை மேற்பார்வையிடல் செய்தல் வேண்டும்.
15. குளோரினேசன் செய்வதை பதிவேடு ஒன்றில் பதிய வேண்டும். சுகாதார ஆய்வாளர் பார்வையிடச் செய்தல் வேண்டும்.
16. ஹாஸ்டல் மற்றும் கேன்டீன் இருப்பின் பணியாளர்களுக்கு தன்குத்தம் பற்றி பயிற்சியளிப்பதோடு, மருத்துவ அதிகாரியிடம் பரிசோதனை செய்து தகுதிச்சான்று பெறவேண்டும்.
17. கல்வித் துறை விதியின்படி மாணவ, மாணவிகளுக்கு மற்றும் ஆசிரியர்களுக்கு தனித்தனியே போதுமான எண்ணிக்கையில் கழிப்பறை வசதி செய்யப்பட்டிருக்க வேண்டும். மேலும் அதனை சுத்தமாக பராமரிக்க வேண்டும்.
18. தங்கள் பள்ளியில் பணிபுரியும் 18 வயதிற்கு மேல் உள்ளவர்கள் கொரானா தடுப்பூசி போட வேண்டும்.

மேற்கண்ட நிபந்தனைகள் தவறும் பட்சத்தில் இந்த சுகாதாரச்சான்று ரத்து செய்யப்படும் என்று தெரிவித்துக் கொள்ளப்படுகிறது.

துணை இயக்குநர் சுகாதாரப்பணிகள்(பொ)
தேனி.

இணைப்பு: சுகாதாரச் சான்று

CORRESPONDENT
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road
Pannaipuram-625524,
Theni District-Tamilnadu.

PRINCIPAL
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road,
Pannaipuram - 625524
Theni District, Tamilnadu.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Aundipatti-Sedapatti CWSS Treatment Plant, Vaigaidam,

Theni-625562. E-mail: wtltheni11@gmail.com



TC - 10546

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Sample / Lab No:	2023/2266	Report Issue Date :	13.05.2023
Invoice Details:	435/Dt.09.05.2023/Amt.Rs.1652		
ULR No	TC105462300002266		

Client Name & Address : The Correspondent,
Contact No / Email.ID : Green Mount Public School,
Uthamapalayam Main Road,
Pannaipuram

Sample Name : Water
Sample Description : Bore well Water
Sample Submitted by : Customer – P.Murugan
Location & Date : Green Mount Public School & 09.05.2023
Quantity of sample Received : 2 Litre
Sample Container : Plastic – Good condition
Sample Condition on Receipt : Good
Sample Received On : 09/05/2023
Test Commenced on : 09/05/2023
Test Completed on : 10/05/2023
Environmental Condition : 26.8°C

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	pH @ 25°C	IS 3025 Part 11-1983	-	7.22	6.5-8.5	6.5-8.5
2	Total Hardness as CaCO ₃	IS 3025 Part 21-20009	mg/L	100.0	200	600
3	Total Alkalinity as CaCO ₃	IS 3025-Part 23-1986	mg/L	124.0	200	600
4	Chloride as Cl	IS 3025-Part 32-1988	mg/L	16.0	250	1000
5	Sulphate as SO ₄	IS 3025-Part 24-1986	mg/L	13.0	200	400
6	Nitrate as NO ₃	APHA 23rd Edition 2017- 4500 -NO ₃ B	mg/L	16.0	45	45
7	Fluoride as F	APHA 23rd Edition 2017 - 4500- F-D	mg/L	0.4	1.0	1.5

PRINCIPAL
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road,
Pannaipuram - 625524

CORRESPONDENT
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road,
Pannaipuram - 625524

Authorised Signatory
Kannan - Assistant Executive Engineer

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
4. The result applied to the sample as received basis.

Issue No./Date	01/01.10.2021	Amend. No/ Date	01/12.01.2022	Page No	1 of 2
----------------	---------------	-----------------	---------------	---------	--------



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Aundipatti Sedapatti CWSS Treatment Plant, Vaigaidam,

Theni-625 562. E-mail: wtltheni11@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Sample / Lab No:	2023/ 2266 to 2267	Report Issue Date :	13.05.2023
Invoice Details:	435/Dt.09.05.2023/Amt.Rs.1652		
ULR No.	TC105462300002266 to 2267		

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
8	Appearance	Physical observation	--	Clear	-	-
9	Colour	APHA 23rd Edition 2017 4500 H+B	Hazen	-	Agreeable	Agreeable
10	Odour	IS 3025 Part 5 : 1983	--	None	-	-
11	Turbidity	APHA 23rd Edition 2017 - 2130 B	NTU	1	1	5
12	Total Dissolved Solids	APHA 23rd Edition 2017 - 2540 C	mg/L	266	500	2000
13	Conductivity	APHA 23rd Edition 2017 - 2510 B	μS/cm	380	-	-
14	P - Alkalinity as CaCO ₃	IS 3025-Part 23-1983	mg/L	0	-	-
15	Calcium as Ca	APHA 23rd Edition 2017 - 3500 Ca B	mg/L	25.0	75	200
16	Magnesium as Mn	APHA 23rd Edition 2017- 3500 Mg B	mg/L	10.0	30	100
17	Sodium as Na	APHA 23rd Edition 2017 - 3500 Na B	mg/L	-	-	-
18	Potassium as K	APHA 23rd Edition 2017 - 3500 K B	mg/L	-	-	-
19	Iron as Fe	APHA 23rd Edition 2017- 3500 Fe B	mg/L	0	0.3	1
20	Manganese as Mn	APHA 23rd Edition 2017 - 3500 Mn B	mg/L	0	0.1	0.3
21	Ammonia as NH ₃	APHA 17th Edition-1989- 4500 NH3C	mg/L	0.35	0.5	0.5
22	Nitrite as NO ₂	APHA 23rd Edition 2017- 4500-NO2 B	mg/L	0	-	-
23	Total Phosphate as PO ₄	APHA 23rd Edition 2017 - 4500 P- D	mg/L	0.2	0.5	0.5
24	Tidys 4 hr. test	APHA 23rd Edition 2017 - 4500 O - B	mg/L	0.80	-	-
25	Residual chlorine as RC	IS APHA	mg/L	0	0.2	0.5
26	Fecal Coliform	IS APHA	CFC/ 100 ml	0	-	-

.....End of the report.....

PRINCIPAL
GREEN MOUNT PUBLIC SCHOOL
Thevaram To Palayam Main Road,
Pannaipuram-625524
Theni District-Tamilnadu

CORRESPONDENCE
Authorised Signatory
V. Kannan - Assistant Executive engineer
Pannaipuram-625524
Theni District-Tamilnadu

Note:

- The test results relate only to the items tested.
- The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
- Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
- The result applied to the sample as received basis.

Issue No./Date	01/01.10.2021	Amend. No/ Date	01/12.01.2022	Page No	2 of 2
----------------	---------------	-----------------	---------------	---------	--------